

Certificate of Product Approval

Licensee:

Prysmian Cables & Systems Ltd

Chickenhall Lane, Eastleigh, SO50 6YU, Hampshire, United Kingdom

Factory:

Chickenhall Lane, Eastleigh, SO50 6YU, Hampshire, United Kingdom

Standard:

BS 8592:2016

Description:

Single core non-sheathed fire resistant cables with thermosetting insulation and having low emission of smoke and corrosive gases when affected by fire

Details:

These cables conform to BS 8592, and by reference, conform to the appropriate requirements of BS EN 60228, BS EN 60332-1-2, BS EN61034-2, BS EN 60754-1 and IEC 60331-

3. Additionally tested to BS 8434-2:2003+A2:2009 and BS EN 50200:2015 PH120 (tests conducted in steel conduit). These cables have a rated voltage of 450/750V

Materials:

Insulation EI 5, Sheath None

Brand Name:

FP100

Origin Mark:

PRYSMIAN (B) OR (B) PRYSMIAN

Permissible Approval Marks:

BASEC

BASEC name



BASEC roundel

Signed for and on behalf of
BASEC Group Ltd

Kieran O'Brien Date: 06/07/2023

Date of original issue: 04/11/2020

Check BASEC website to verify validity.

Page 1 of 2

BASEC Group Ltd, Presley House, Presley Way, Milton Keynes, MK8 0ES, UK
Registered in England No. 13950143, Tel: +44 (0)1908 267300
Email: mail@basec.org.uk Web: www.basec.org.uk

BSF079 Issue 5 (20-03-2023)



Expiry date:
11/08/2026



Certificate No:
017/004/343

Issue No: 2

Type(s) and Range(s) of Approval

Table / Clause	Code Designation	Conductor Class	Range of Cores	Min Nominal Size -sqmm	Max Nominal Size - sqmm
2	N/A	Class 2	1	1.5	70

Signed for and on behalf of
BASEC Group Ltd

Kieran O'Brien Date: 06/07/2023

Date of original issue: 04/11/2020

Check BASEC website to verify validity.

Page 2 of 2

BASEC Group Ltd, Presley House, Presley Way, Milton Keynes, MK8 0ES, UK
Registered in England No. 13950143, Tel: +44 (0)1908 267300
Email: mail@basec.org.uk Web: www.basec.org.uk

BSF079 Issue 5 (20-03-2023)



Expiry date:
11/08/2026